2013

# D.G. Heath

D.G Heath.cok Tel: 01792 884828









# Post Supports

## Drive-In Post Spikes





Galvanised Finish

Code	Post Size	Spike Length	E&G
DPS/50/600	50 x 50 mm	450mm	E&G
DPS/75/600	75 x 75mm	450mm	
DPS/75/750	75 x 75mm	600mm	E&G
DPS/75/900	75 x 75mm	750mm	Е
DPS/100/750	100 x 100 mm	600mm	G
DPS/100/900	100 x 100 mm	750mm	Е

- Overall Post Length is Spike Length plus 150mm shoe
- Use DPS Code above for Twin Bolt dual coated
- Easy (E) and Galvanised (G) only available where marked E or G above.
- For Easy Grip prefix code with Easy/.
- For Galvanised Finish prefix code with G/.

All Drive-In Post Spikes in Pack Quantity of 8.

#### Bolt-Down Post Shoes



Code	Timber Size	
PS1/50	50 x 50mm	
PS1/75	75 x 75mm	
PS1/100	100 x 100mm	

• For Easy Grip prefix code with Easy/.

#### Flush Fit Bolt-Down Shoes

All Bolt-Down Post Shoes in Pack Quantity of 6.



FPS1	G/FPS1	
< 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		

FPS1/50\* 50 x 50mm FPS1/75\* 75 x 75mm FPS1/100\* 100 x 100mm

• For Galvanised Finish prefix code with G/...

# RS Repair Spike Dual Coated Protection and Galvanised.



Code	Timber Size	Pack Qty
RS/75*	75x75mm	6
RS/100*	100x100mm	6

\* For galvanised finish prefix with G/.

#### **DT** Driving Tool

Code	Timber Size	Pack Qty
DT	75 & 100 mm	20
	spikes	



#### PS2 Concrete In Shoe Dual Coated Protection



Code	Timber Size	Pack Qty
PS2/75*	75x75mm	6
PS2/100*	100x100mm	6

\* For galvanised finish prefix with G/.

### PEX Post Extender

Dual Coated Protection and Galvanised.



Code	Timber Size	Pack Qty
PEX/75*	75x75mm	6
PEX/100*	100x100mm	6

\* For galvanised finish prefix with G/.

#### PC Panel Clip

A galvanised fixing used to securely attach fence panels to posts reducing the risk of nail damage to timber. Available in 32, 38, 45 and 50mm widths. Packed 160 per carton.



A decorative, recycled brown plastic cap that protects fence or deck posts from weather damage. Packed 10 pcs per bag. 10 bags per carton.





#### GBC Gravel Board Clip

A range of galvanised brackets enabling secure fixing of 25mm and 50mm gravel boards to fence posts. Packed 50 per carton.



# •

#### LRP Log Roll Pin

A sturdy galvanised steel pin, designed to be driven into soil to secure log border roll. Simply insert the pin into the soil and nail or screw through the pre-punched holes into the timber, Packed 50 per carton.



#### FPC Easy Install Panel Clip

To easily attach fence panels to posts. Powder coated in brown. Available in 32 and 47mm widths. Packed 300 per carton.

#### PC Z Clips

A galvanised clip to attach fence and trellis panels or gravel board with a thickness unsuitable for a standard 'U' shaped panel clip. Size 35mm (w) x 65mm (l) x 15mm (deep). Packed 100 per pack.



#### KRB Knee Rail Bracket

For use when attaching knee rails to posts. Supplied prebent to allow on-site shaping to timber. 25 per pack.



Fencing Accessories



#### ARB Arris Rail Bracket

Designed for use with feather edge fencing, this galvanised bracket secures Arris Rails to posts. Available in 100, 225 and 300mm lengths. Packed 100 in carton.

#### MARB Mortice Arris Rail Bracket

A sturdy galvanised bracket to secure Arris Rails to concrete posts. Packed 50 per box.



#### Oak Clamps

A simple method of ensuring that panels do not rattle in concrete posts.



## Fixings for Decking and Garden Construction



#### FA3 Framing Anchor

A universal fixing which can be used in 90 degree connections and bent on site. Height 125mm. Box Qty 250.

#### DJ Deck to Joist Bracket

A heavy duty connector used to secure 38 and 50 mm deck joists to posts. Packed 4 per bag. 25 bags per carton.



#### MINI Joist Hanger Support

A galvanised mini hanger to suit 38, 44, 47 and 50 mm wide x 100 mm high joists. Box Qty 250.



#### A190 Joist Hanger

Short leg timber to timber joist hanger to suit 38, 44 and 50 mm wide joists. Suitable for joist depth up to 175mm. Box Qty 100.



#### AP Angle Plate

A range of 2.5mm thick brackets used for general 90 degree connections. AP44240x40x20mm wide (Box Qty 500) AP664 60x60x40mm wide (Box Qty 100) AP666 60x60x60mm wide (Box Qty 100) AP888 80x80x80mm wide (Box Qty 100)



For use in solid brickwork, masonry or concrete. M8 x 6.5mm (long). Packed 4 per bag. 25 bags per carton.



#### Heavy Duty Joist Hanger Type MTH 240

MTH/240/38 width 38mm MTH/240/44 width 44mm MTH/240/47 width 47mm MTH/240/50 width 50mm Height 100 mm. Box Qty 50.



#### CB Corner Bracket Kit

A retail box containing 4 sturdy hot dipped galvanised brackets and all necessary fixings. Use these  $60 \times 60 \times 200 \text{mm}$ long multi-purpose brackets for creating raised beds with timber boards of any thickness or for strengthening corners in general timber construction. Box Qty 20.

#### **DP** Deck Post Connector

A galvanised bracket designed to connect vertical posts to joists. Fix in pairs. Packed 4 per bag. 25 bags per carton.



#### **AB** Angle Brackets

Sturdy reinforced corner bracket 60mm wide x 2.5mm thick. Sizes available:

AB90x90x60mm wide (Box Qty 100) AB150x90x60mm wide (Box Qty 100) AB150x150x60 mm wide (Box Qty 50)



to fix deck posts into new concrete. Box Qty 10.



Standard leg timber to timber joist hanger to suit standard joist widths, 150 to 250mm high. Box Qty 100.



#### PB1 Deck Post Base

A bolt down post shoe used for installing deck posts onto an existing concrete base. Box Qty 10.





#### DC Decking Clip

Hidden galvanised decking clip fixing that provides easy installation of deck boards. Packed 100 per bag or display tub. 10 bags per carton.

Simple, Neat Installation



#### SSK Stair Tread Kit

A 2.5mm thick bracket used to connect stair treads to risers. Box Qty 25 packs of 3 left hand and 3 right hand per pack.

# Landscaping & Decking Rope



Manila Rope 20, 24, 28, 32, 40mm diameter. 100 and 220m coils. Available cut to length.



Polyhemp Rope 18, 24, 28, 32mm diameter. 100 and 220m coils. Available cut to length.



Polypropylene Rope 6, 8, 10, 12mm diameter. 15, 30 and 220m coils. Available cut to length.



24mm Dark Green and Royal Blue Polyester Rope Shown with Ball Top Post and Brass Hook and Eye.

# Fixings for 24 and 28mm rope

Brass Hand Rail Bracket for 24mm and 28mm rope. Available in brass and chrome.



Brass Rope End 2 sizes for 24mm and 28mm rope. Available in brass and chrome.



Chrome Hand Rail Bracket for 24mm and 28mm rope. Available in brass and chrome.



Brass Finishing Plate 67mm diameter. Available in brass and chrome.



Pressure Treated Ball

Top 70x70mm Post

(980mm high) With or

without 35mm rope hole.

Brass Hook & Eye 2 sizes for 24mm and 28mm rope. Available in brass and chrome.





Anti Slip Plates for Decking Steps 3 sizes - 115 x 635mm, 57.5 x 635mm and 115 x 1000mm.



Rope Post 75x75x980mm (NEW)
Green treated, with rebate and chamfered top detail. With or without 35mm rope hole.





#### Stainless Steel Wire Balustrades



Stainless Steel Wire and Stainless Steel Posts Windsor Range



Wooden Posts with Stainless Steel Wire Marlow Range

### Glass Balustrades



Glass with Wooden Posts Datchet Range\*



Glass with Stainless Steel Posts Eton Range\*



Deckorators Scenic Glass and Wooden Posts 8mm tempered glass panels. 100mm wide x 813 long. 5 panels per pack to cover 1000mm balustrade.

# Deckorators Powder Coated Aluminium Spindles



Classic Black Spindles 5 s Available in 660mm and 813mm lengths. 10 spindles per pack to cover 1200mm balustrade.



Baroque Black Spindles Spindle 25mm wide x 825mm long. 5 spindles per pack to cover 625mm balustrade.



Arc Black Spindles Spindles 25mm wide x 825mm long. 5 spindles per pack to cover 625mm.

When balustrades are used over 600mm from the ground, consult a reputable builder or structural engineer.

\* Pictures by kind permission of McCombe Decking.

Denis and Alice Kits include all fittings and instructions to build the Kits below.



- 1 x Treated Pine Wood Seat 4 x Ground Anchor 'Screw' 5 x Swing Hook
- 2 x Swing Corner 'Oblique' Note: 1 x 3m, 4 x 2.7m 100mm

Note: 1 x 3m, 4 x 2.7m 100mm round jump poles not included in kit.




Note: Slide and 1 x 3m, 6 x 2.7m, 100mm round jump poles and platform decking boards not included in kit.

#### Swing Corner 'Oblique' Swing Corner 'Vertical'



'Oblique' splays to one side and 'Vertical' is upright and suitable for adding a platform. (For 100mm jump poles.)



Ground Anchor 'Screw' Hot dipped galvanised steel

Plastic Pole Cover (for 100 mm jump poles)




Swing Corner 'Wall' (for 100mm jump poles)



Climbing Stones
5 shapes in pack



Plastic Handgrip Set Set of 2 plastic handgrips



# Construct Your Own Playground Kits

D Lock Hook Galvanised Lock hook for attaching swing seats through beam.



Injection Moulded HDPE Slide 24m long for platform height 1.2m 3m long for platform height 1.5m



Galvanised Swing Hook (for 100mm jump poles)





Carabiner Hook for attaching swing seats through beam

# KBT Play Equipment Accessories - Swings




Treated Pine Wood Seat with soft polyhemp rope



Blue Plastic Wraparound Seat with soft polyhemp rope

Baby Seat Growing Type with 3 detachable parts for age under 3





Plastic Daisy Disc with soft polyhemp rope



Horizontal Tyre Swing with polypropylene rope



Plastic Baby Seat with safety strap and soft polyhemp rope





Nest swing- Oval



Green Metal Frame Duo Seat - Club Powder coated metal frame Treated pinewood seat Polypropylene rope



Knot Cord 3 knots with soft polyhemp rope





Yellow Plastic Blue Rabbit Duo Set



Metal Duo Seat Flex

# KBT Play Equipment Accessories - Climbing, Slides



Wall Kit Eased planed wood required. 2 x 1.5m long 70 x 35mm 3 x 2.7m long 95 x 16mm



Ramp Kit Eased planed wood required.  $2 \times 1.8 \text{m}$  long  $70 \times 35 \text{mm}$   $1 \times 2.7 \text{m}$  long  $70 \times 35 \text{mm}$   $5 \times 1.5 \text{m}$  long  $95 \times 16 \text{mm}$ 





Climbing Stones
Green and Mixed colours



Wooden Rungs Rope Ladder Pressure treated hardwood. 5 rungs.



Bridge Connection Eased planed wood required. 2 x 2.1 m long, 70 x 70 mm, and 2 x 2.4 m long, 70 x 70 mm.



Injection Moulded HDPE Slide 24m long for platform height 1.2m 3m long for platform height 1.5m







Polyhemp Climbing Net Mesh 250 x 250 mm in soft polyhemp rope. 1.25m wide, 2m high.




Fireman's Pole Powder coated metal 2.7m mast

# Aerobatics and Imagination



Wooden Trapeze with Plastic Rings Hardwood pressure treated rung

Binoculars
Orange and lime green. Does not enlarge.



Pirate Flag



Red Steering Wheel 'Boat' Injection moulded HDPE, diameter 350mm



OXO Play Set
Set of 9 lime green cylinders painted 0 and X.
Wood not included.





Yellow Telephone Rings when pressing keys



Red Letter Box Injection moulded PP. Child friendly.



Blue Steering Wheel Diameter 300 mm



# Wooden Finials and Post Caps

Finials for 3" Posts with double ended screws






Finials for 4" Posts with double ended screws

Finials for 6" Posts with double ended screws



Post Caps planed and chamfered for 3", 4" x 3" and 4" Posts





Prikka Strip (grey, brown) Available in 4m and 50m bulk packs.

Prikka Anti Intruder Strips

Bird Ban



Green Periscope Injection moulded HDPE. 2 built-in mirrors.

Injection moduled HDFL. 2 built-in minors.

Basketball Ring





Telescope Blue moulded. Length 305mm. Without lens. Does not enlarge.

# Displays available to stockist





Finial, Temple and Rope Display on Wood Stand

#### Rope Stand Display

Manila Rope 24mm, 28mm and 40mm diameter

Polyhemp Rope blue and green rope 24mm diameter

#### Anti Slip Plates for Decking Steps



#### Display Box for Clamps for Concrete Posts





Display Bucket for FPC Easy Install Fence Clips



Fence Post Anchor and Accessories Stand



Display Bucket for Panel Clip U Type







Brass Fittings for 28mm Rope Display 28mm Rope End 28mm Hook an Eye